BOOK No. 139

PRICE 10 CENTS

Sweater News

746.1
S763pw

ART ROOM

959089

...larli No. 1196
...ctions on Page 20

CHADWICK'S RED HEART WOOLS

A gay young introduction to a sweater wardrobe. Indispensable for a college care

Copyright 1939, The Spool Cotton Company, Third Edition

H-322—C-3 Printed in U

ART ROOM

Chadwick's Red Heart Shetland Floss . . . No. 1186 **Sugar Plum**

SIZE 16

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 7 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 1 (2½ *mm. size*) *and* 1 *pair No.* 6 (4¼ *mm. size*).

7 *buttons.*

MEASUREMENTS AFTER BLOCKING: Bust — 35½ inches. Width across back at underarm—17 inches. Width across back at shoulder—13½ inches. Width across each front at underarm—8½ inches. Length from underarm to lower edge — 10½ inches. Length of sleeve, underarm seam — 5½ inches. Width of sleeve at underarm—13 inches.

GAUGE: (Stockinette st) 6 sts make 1 inch; 7 rows make 1 inch. Both ribbings are 10 sts to 1 inch.

BACK . . . With No. 1 needles cast on 140 sts and work 6 inches in ribbing of k 2, p 2, decreasing 30 sts on last row (110 sts). Change to No. 6 needles and work in stockinette st (k 1 row, p 1 row) for 4½ inches, ending with a p row.

TO SHAPE ARMHOLES: * K 2, k 2 tog., k across to within last 4 sts, k 2 tog., k 2. **Next row:** P across. Repeat from * 11 more times. Work straight until piece measures 17 inches in all, decreasing 15 sts on last row (71 sts). Bind off.

BACK NECK BAND . . . Holding right side toward you, with No. 1 needles pick up 40 sts along center 25 bound-off sts of Back. Work 1 inch in ribbing of k 1, p 1. Bind off in ribbing.

LEFT FRONT . . . With No. 1 needles cast on 70 sts and work 6 inches in ribbing, decreasing 10 sts on last row (60 sts). Change to No. 6 needles and work in stockinette st, decreasing 1 st at front edge on next row and every 4th row thereafter 16 times in all but, when piece measures 9½ inches (end with a p row), continuing with front shaping, shape armhole as follows: * K 2, k 2 tog., k across. **Next row:** P across. Repeat from * 11 more times. Continue armhole edge straight until piece measures 16 inches (32 sts). Change to No. 1 needles and work 1 inch in k 1, p 1, ribbing.

RIGHT FRONT . . . Work to correspond with Left Front, reversing shapings.

RIGHT FRONT BAND . . . Holding right side toward you, with No. 1 needles pick up 150 sts along entire center front edge and work ½ inch in k 1, p 1, ribbing, ending at bottom of front. **Next row:** Work in pattern across 9 sts, 0, k 2 tog., (work in pattern across next 7 sts, 0, k 2 tog.) 6 times—7 *buttonholes made;* work in pattern across remaining sts. Continue in ribbing until band measures 1 inch in all.

LEFT FRONT BAND . . . Work as for Right Front band, omitting buttonholes.

Sew up shoulder seams. Join bands. Sew up underarm seams.

SLEEVES . . . With No. 1 needles cast on 90 sts and work 1½ inches in k 2, p 2, ribbing, decreasing 20 sts on last row (70 sts). Change to No. 6 needles and work in stockinette st, increasing 1 st at both ends of next row and every 4th row until there are 84 sts. Work straight until piece measures 5½ inches in all, ending with a p row. To shape top of sleeve: * K 2, k 2 tog., k across to within last 4 sts, k 2 tog., k 2. **Next row:** P across. Repeat from * 11 more times. Bind off loosely.

Sew up sleeve seams; sew in sleeves, matching sleeve shapings to armhole shapings and gathering extra sleeve fullness into remaining armhole space. Sew on buttons.

Duckling No. 1191

SIZE 16

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 8 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 1 (2½ *mm. size*) *and* 1 *pair No.* 3 (3 *mm. size*).

2 CROWN IRIS ZIPPERS, 4-*inch, Style F.*70.

MEASUREMENTS AFTER BLOCKING: Bust — 36 inches. Width across back at underarm — 18 inches. Width across back at shoulder—14 inches. Width across front at underarm—18 inches. Length from underarm to lower edge — 12 inches. Length of sleeve, underarm seam — 4½ inches. Width of sleeve at underarm—13 inches.

GAUGE: 7 sts make 1 inch; 9 rows make 1 inch.

BACK . . . Starting at bottom, with No. 1 needles cast on 96 sts. **1st row:** K 1, * p 2, k 2. Repeat from * across, ending with k 1. **2nd row:** (Right side) K 1, * k 2, p 2. Repeat from * across, ending with k 3. Repeat these 2 rows alternately for 5 inches, ending with 1st row. Change to No. 3 needles and work in pattern as follows:

1st row: K 1, k 2 tog., 0, * p 2, 0, sl 1, k 1, p.s.s.o., p 2, k 2 tog., 0. Repeat from * across, ending with p 2, 0, sl 1, k 1, p.s.s.o., k 1. **2nd row:** K 1, * p 2, k 2. Repeat from * across, ending with k 1. **3rd row:** K 1, 0, * sl 1, k 1, p.s.s.o., p 2, k 2 tog., 0, p 2, 0. Repeat from * across, ending with sl 1, k 1, p.s.s.o., p 2, k 2 tog., 0, k 1. **4th row:** Same as 2nd row. These 4 rows constitute the pattern. Work in pattern, increasing 1 st at both ends of every 4th row until there are 126 sts on needle. Work straight until piece measures 12¼ inches in all.

TO SHAPE ARMHOLES: Bind off 6 sts at beginning of next 2 rows. Dec. 1 st at end of each row until 106 sts remain. Work straight until piece measures 4¾ inches from 1st row of armhole shaping. Change to No. 1 needles and work 2 inches in ribbing of k 2, p 2. Bind off.

FRONT . . . Work as for Back for 5 inches. Then work as follows: **1st row:** With right side toward you, k 1, k 2 tog., 0, and continue in ribbing to within last 3 sts; 0, k 2 tog., k 1. **2nd row:** K 1, * p 2, k 2. Repeat from * across, ending with k 1. **3rd row:** K 1, 0, sl 1, k 1, p.s.s.o., p 2, k 2 tog., 0, and work in ribbing to within last 7 sts; sl 1, k 1, p.s.s.o., p 2, k 2 tog., 0, k 1. **4th row:** Same as 2nd row, but inc. 1 st at both ends of row. **5th row:** K 2, k 2 tog., 0, p 2, sl 1, k 1, p.s.s.o., p 2; work in ribbing to within last 10 sts; p 2, k 2 tog., 0, p 2, sl 1, k 1, p.s.s.o., p 1, k 1. **6th row:** Same as 2nd row. Continue to inc. 1 st at both ends of every 4th row; at the same time, change 3 rib sts at both ends of every other row into pattern sts until all sts are in pattern and there are 126 sts on needle. Work straight until piece measures 12¼ inches in all. Finish as for Back.

Continued on Page 23

No. 1193 Heigh-Ho

MATERIALS: CHADWICK'S RED HEART AFGHAN WOOL, 8 *skeins* (1 *oz. skeins*).

MILWARD'S 16-*inch circular knitting pin No.* 6 (4¼ *mm. size*).

MILWARD'S 29-*inch circular knitting pin No.* 6 (4¼ *mm. size*).

4 *double-pointed bone needles No.* 6 (4¼ *mm. size*).

MEASUREMENTS AFTER BLOCKING: Bust — 35 inches. Length from underarm to lower edge — 12½ inches. Length of sleeve, underarm seam — 4 inches. Width of sleeve at underarm — 13 inches.

GAUGE: 5 sts make 1 inch; 7 rnds make 1 inch.

Starting at neck edge, with 16-inch circular needle cast on 70 sts loosely. Join, being careful not to twist sts. **1st rnd:** K 31 (Front); inc. in next 2 sts (seam sts); k 5 (left sleeve); inc. in next 2 sts (seam sts); k 21 (Back); inc. in next 2 sts (seam sts); k 5 (right sleeve); inc. in next 2 sts (seam sts). **2nd rnd:** K around. **3rd rnd:** K 32 (Front); inc. in next 2 sts (seam sts); k 7 (left sleeve); inc. in next 2 sts (seam sts); k 23 (Back); inc. in next 2 sts (seam sts); k 7 (right sleeve); inc. in next 2 sts (seam sts); k 1. **4th rnd:** K around. Continue increasing 8 sts on every other rnd, having 2 more sts between increases on each increase-rnd, until there are 302 sts on needle (change to 29-inch needle when necessary). **Next rnd:** K across Front to 1st seam st incl; slip next 65 sts onto a piece of yarn, for sleeve; k next 81 sts (Back); slip next 65 sts onto piece of yarn, for other sleeve (172 sts on needle). Work straight around these 172 sts for 4¼ inches, decreasing 16 sts evenly apart on last rnd. Now work 1¼ inches in ribbing of k 2, p 2. Then k each rnd for 5 more inches. On next rnd dec. evenly to 132 sts. Change to 16-inch needle and work 1¼ inches in ribbing. Bind off.

SLEEVES . . . Transfer sts of sleeve onto 3 double-pointed needles and k around for 2¾ inches. On next rnd dec. evenly to 52 sts. Work 1¼ inches in ribbing. Bind off.

NECK BAND . . . With right side toward you, pick up 72 sts around neck edge on 3 double-pointed needles and work ¾ inch in ribbing. Bind off loosely in ribbing.

USE
CHADWICK'S
RED HEART WOOLS

Two smart versions of the new longer sweater —in a classic or lacy stitch—add variety to your sweater collection.

Top:
HEIGH-HO No. 1193

Left:
DUCKLING No. 1191

Boulevarde No. 1194

SIZE 16

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 6 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 2 (2¾ *mm. size*) *and* 1 *pair No.* 3 (3 *mm. size*).

2 *buttons.*

Silk seam tape.

A pair of tailored shoulder pads.

MEASUREMENTS AFTER BLOCKING: Width across back at underarm—18 inches. Width across back at shoulder—14 inches. Width across each front at underarm—7¾ inches. Length from underarm to lower edge—7½ inches. Length of sleeve, underarm seam—8½ inches. Width of sleeve at underarm—13½ inches.

GAUGE: 7 sts make 1 inch; 9 rows make 1 inch.

BACK . . . Starting at bottom, cast on 28 sts on No. 3 needles and work in stockinette st (k 1 row, p 1 row), casting on 11 sts at end of each row until there are 94 sts on needle. Work straight for 2 inches. Then inc. 1 st at both ends of next row and every 3rd row thereafter until there are 126 sts on needle. Work straight until piece measures 7½ inches, measuring from last 11 cast-on sts.

TO SHAPE ARMHOLES: Bind off 8 sts at beginning of next 2 rows. Dec. 1 st at end of each row until 90 sts remain. Work straight until piece measures 9 inches from 1st row of armhole shaping. Bind off.

RIGHT FRONT . . . Starting at bottom, cast on 7 sts and p across. Cast on 7 sts. Now work in stockinette st, casting on 7 sts at end of each p row until there are 35 sts (cast-on edge is Front edge). Continue in stockinette st, increasing 1 st at front edge every other row twice, keeping opposite edge (underarm edge) straight—37 sts. **Next row:** Starting at front edge, make a buttonhole 3 sts in from edge — *to make a buttonhole, on one row bind off 4 sts; on next row cast on 4 sts to replace those bound off.* Continue in stockinette st, keeping underarm straight and increasing 1 st at front edge every 4th row 19 times in all but, when underarm measures 2 inches, inc. 1 st at underarm edge every 6th row 8 times in all. Continuing with front increases, work straight until underarm measures 8 inches.

TO SHAPE ARMHOLE: Starting at underarm edge, bind off 5 sts once; then dec. 1 st at armhole edge every other row 4 times in all. Keeping armhole edge straight, continue with front increases until there are 59 sts on needle. Work straight until piece measures 3¾ inches from 1st row of armhole shaping. Starting at armhole edge, bind off 38 sts and p across remaining 21 sts. **Next row:** K 21, cast on 24 sts (45 sts). Work straight for 2 more inches. Then, starting at front edge, bind off 10 sts, thus

Continued on Page 23

No. 1192 Illusion

MATERIALS: CHADWICK'S RED HEART BABY WOOL, 5 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 3 (3 *mm. size*) *and* 1 *pair No.* 5 (4 *mm. size*).

4 *small buttons.*

Crinoline shoulder pads.

MEASUREMENTS AFTER BLOCKING: Bust — 36 inches. Width across back at underarm—18 inches. Width across back at shoulder—13½ inches. Width across front at underarm—18 inches. Length from underarm to lower edge—11 inches. Length of sleeve, underarm seam — 4½ inches. Width of sleeve at underarm—13 inches.

GAUGE: 7 sts make 1 inch; 10 rows make 1 inch.

BACK . . . Starting at bottom, with No. 5 needles cast on 95 sts. **1st row:** (Right side) * P 3, k 1. Repeat from * across, ending with p 3. **2nd row:** * K 3, p 1. Repeat from * across, ending with k 3. **3rd row:** * P 3; into next st make k 1, p 1, k 1, p 1 and k 1; then p 3, k 1. Repeat from * across, ending with p 3; into next st make k 1, p 1, k 1, p 1 and k 1; then p 3. **4th row:** * K 3, p 5, k 3, p 1. Repeat from * across, ending with k 3, p 5, k 3. **5th row:** * P 3, k 5, p 3, k 1. Repeat from * across, ending with p 3, k 5, p 3. **6th row:** Same as 4th row. **7th row:** * P 3, p 5 tog., p 3, k 1. Repeat from * across, ending with p 3, p 5 tog., p 3. **8th, 9th and 10th rows:** Repeat 2nd, 1st and 2nd rows. **11th row:** * P 3, k 1, p 3; into next st make k 1, p 1, k 1, p 1, and k 1. Repeat from * across, ending with p 3, k 1, p 3. **12th row:** * K 3, p 1, k 3, p 5. Repeat from * across, ending with k 3, p 1, k 3. **13th row:** * P 3, k 1, p 3, k 5. Repeat from * across, ending with p 3, k 1, p 3. **14th row:** Same as 12th row. **15th row:** * P 3, k 1, p 3, p 5 tog. Repeat from * across, ending with p 3, k 1, p 3. **16th row:** Same as 2nd row. These 16 rows constitute the pattern. Work in pattern until piece measures 3 inches; then inc. 1 st at both ends of next row and every 7th row thereafter until there are 113 sts on needle. Work straight until piece measures 11 inches.

TO SHAPE ARMHOLES: Bind off 7 sts at beginning of next 2 rows. Then dec. 1 st at end of each row until 85 sts remain. **Next row:** With right side toward you, work in pattern across 1st 39 sts, k 7, turn—thus starting center back opening. **Following row:** K 7, work in pattern across. Repeat these last 2 rows alternately 3 more times. Work in pattern, keeping the 7 sts at center back k sts and making a buttonhole 3 sts in from center back edge on next row and every 1¾ inches thereafter until 4 buttonholes in all are made—*to make a buttonhole,*

Continued on Page 18

ART ROOM
Milwaukee Public Library

A sophisticated pair with a distinctly Parisian flavor. Alone, the blouse has little-girl charm while the jacket is a smart foil for a one piece street dress.

Top:
No. 1192
Right:
No. 1194

Casuals No. 1184 . . . Chadwick's Red Heart Shetland Floss

SIZE 16

PULLOVER

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 7 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 1 (2½ *mm. size*) *and* 1 *pair No.* 4 (3½ *mm. size*).

MEASUREMENTS AFTER BLOCKING: Bust — 35 inches. Width across back at underarm—17½ inches. Width across back at shoulder—14 inches. Width across front at underarm — 17½ inches. Length from underarm to lower edge—12 inches. Length of sleeve, underarm seam—6½ inches. Width of sleeve at underarm—13 inches.

GAUGE: (Stockinette st) 7 sts make 1 inch; 9 rows make 1 inch.

BACK . . . With No. 1 needles cast on 140 sts and work 4 inches in ribbing of k 2, p 2, decreasing 14 sts on last row (126 sts). Change to No. 4 needles and work 8 inches straight in stockinette st (k 1 row, p 1 row).

TO SHAPE ARMHOLES: Bind off 4 sts at beginning of next 2 rows and 2 sts at beginning of following 2 rows. Dec. 1 st at end of each row until 94 sts remain. Work straight until piece measures 6 inches from 1st row of armhole shaping. Bind off 30 sts for shoulder, bind off next 34 sts loosely for back of neck (sts for neck band will be picked up along these 34 sts); bind off remaining 30 sts for other shoulder.

BACK NECK BAND . . . Holding right side toward you, with No. 1 needles pick up 46 sts along the 34 sts bound off loosely, and work in ribbing, starting and ending with p 2, for 1 inch. Bind off loosely in ribbing.

FRONT . . . Work as for Back until piece measures 4¾ inches from 1st row of armhole shaping. **Next row:** Work across 1st 42 sts, bind off 14 sts loosely (thus starting neck shaping), work across remaining 42 sts. Work over these 42 sts, binding off 3 sts at neck edge every other row until 30 sts remain. Work straight until armhole measures 6 inches. Bind off for shoulder. Work opposite side to correspond.

FRONT NECK BAND . . . Holding right side toward you, with No. 1 needles pick up 86 sts along neck edge. Work 1 inch in ribbing. Bind off loosely.

SLEEVES . . . With No. 1 needles cast on 90 sts and work 1 inch in ribbing, decreasing 16 sts on last row (74 sts). Change to No. 4 needles and work ½ inch in stockinette st. Inc. 1 st at both ends of next row and every 5th row thereafter until there are 90 sts. Work straight until piece measures 6½ inches in all. Bind off 4 sts at beginning of next 2 rows and 2 sts at beginning of following 8 rows. Then bind off 4 sts at beginning of each row until 12 sts remain. Bind off. Sew up shoulder, underarm, and sleeve seams, and sew in sleeves. Press through damp cloth.

CARDIGAN

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 11 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 1 (2½ *mm. size*) *and* 1 *pair No.* 4 (3½ *mm. size*).

1¼ *yds. grosgrain ribbon,* 1 *inch wide.*

8 *buttons.*

MEASUREMENTS AFTER BLOCKING: Bust — 38 inches. Width across back at underarm—19 inches. Width across back at shoulder—14½ inches. Width across each front at underarm—9½ inches. Length from underarm to lower edge—14 inches. Length of sleeve, underarm seam—19 inches. Width of sleeve at underarm—12 inches.

GAUGE: (Stockinette st) 7 sts make 1 inch; 9 rows make 1 inch.

BACK . . . With No. 1 needles cast on 160 sts and work 2 inches in ribbing of k 2, p 2, decreasing 27 sts on last row (133 sts). Change to No. 4 needles and work 12 inches in stockinette st (k 1 row, p 1 row), ending with a p row.

TO SHAPE ARMHOLES: K 8, slip these 8 sts onto a safety pin, k across to within last 8 sts, slip last 8 sts onto a safety pin (117 sts). * Work straight for ½ inch, ending with a p row. **Next row:** K 3, k 2 tog., k 2, k 2 tog., k to within last 9 sts, k 2 tog., k 2, k 2 tog., k 3. Repeat from * 3 more times (101 sts). Work straight until armhole measures 7 inches. Bind off 25 sts for shoulder, bind off next 51 sts loosely for back of neck, bind off remaining 25 sts for other shoulder.

RIGHT FRONT . . . With No. 1 needles cast on 80 sts and work 2 inches in ribbing, decreasing 10 sts on last row (70 sts). Change to No. 4 needles and work 12 inches in stockinette st, making a buttonhole 3 sts in from front edge after the 1st 1¼ inches and every 2½ inches thereafter until 7 in all are made—*to make a buttonhole, on one row bind off 3 sts; on next row cast on 3 sts to replace those bound off.*

TO SHAPE ARMHOLE: Starting at underarm edge, work across 1st 8 sts, slip these 8 sts onto safety pin. * Work ½ inch straight, ending with a p row. **Next row:** Work across to within last 9 sts, k 2 tog., k 2, k 2 tog., k 3. Repeat from * 3 more times (54 sts). Work straight until piece measures 2½ inches from 7th buttonhole.

TO SHAPE NECK: **1st row:** Bind off 20 sts at front edge, k 7, k 2 tog., k 25. **2nd and 4th rows:** P across. **3rd row:** Bind off 3 sts, k 3, k 2 tog., k 25. **5th row:** Bind off 3 sts, k 2 tog., k 24. Work in garter st (k each row) over remaining 25 sts for ½ inch. Bind off.

Continued on Page 10

No sweater wardrobe is complete without classic twins. Make them of Chadwick's Red Heart Wool.

ART ROOM

Casual Brooks twins bring gay color contrast into the sweater picture.

Grandstand No. 1188 . . . Chadwick's Red Heart Sports Yarn

SIZE 16

MATERIALS: CHADWICK'S RED HEART SPORTS YARN, 9 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 2 (2¾ *mm. size*) *and* 1 *pair No.* 4 (3½ *mm. size*).

5 *buttons. Crinoline shoulder pads.*

MEASUREMENTS AFTER BLOCKING: Bust — 35½ inches. Width across back at underarm—17 inches. Width across back at shoulder—13½ inches. Width across each front at underarm—9½ inches. Length from underarm to lower edge—11 inches. Length of sleeve, underarm seam—4½ inches. Width of sleeve at underarm—13 inches.

GAUGE: 6 sts make 1 inch: 8 rows make 1 inch (No. 4 needles).

BACK . . . With No. 2 needles cast on 102 sts and work 4 inches in ribbing of k 2, p 2. Change to No. 4 needles and continue in ribbing, increasing 1 st at both ends of next row and every 6th row thereafter until there are 114 sts. Work straight until piece measures 11 inches.

TO SHAPE ARMHOLES: Bind off 4 sts at beginning of next 2 rows and 2 sts at beginning of following 4 rows. Dec. 1 st at end of each row until 86 sts remain. Work straight until armholes measure 6½ inches. To shape shoulders, bind off 4 sts at beginning of each row 6 times. **Next row:** Bind off 4 sts, work in pattern across next 18 sts, bind off 18 sts (neck shaping), work in pattern across remaining 22 sts. Work over these 22 sts, binding off 4 sts at shoulder edge every other row 3 times and 5 sts at neck edge every other row twice. Work opposite side to correspond.

RIGHT FRONT . . . With No. 2 needles cast on 64 sts. **1st row:** (K 2, p 2) 12 times, k 2, (p 1, k 1) 7 times—*front border.* **2nd row:** (P 1, k 1) 7 times, (p 2, k 2) 12 times, p 2. Repeat these 2 rows alternately, making a buttonhole 5 sts in from front edge after the 1st inch and every 2¼ inches thereafter until 5 in all are made—*to make a buttonhole, on one row bind off 4 sts; on next row cast on 4 sts to replace those bound off*—but, when piece measures 4 inches, change to No. 4 needles and inc. 1 st at underarm edge on next row and every 6th row until there are 70 sts. Work straight until piece measures 10½ inches. Then dec. 1 st just inside 14 sts of front border on next row and every 4th row 18 times in all but, when piece measures 11½ inches, shape armhole by binding off 4 sts at underarm edge. Then dec. 1 st at armhole edge every other row 10 times in all. Work armhole edge straight until piece measures 7 inches from 1st row of armhole shaping (38 sts remain). Keeping front edge straight, shape shoulder by binding off 4 sts at armhole edge every other row 6 times. Continue in k 1, p 1, pattern over remaining 14 sts for 2½ inches (half of back neck band). Bind off.

LEFT FRONT . . . Work as for Right Front, reversing shapings and omitting buttonholes.

Sew up shoulder seams, matching ribs. Sew back neck bands in place, seaming short ends. Sew up underarm seams. Sew on buttons.

SLEEVES . . . With No. 2 needles cast on 74 sts and work 1½ inches in ribbing of k 2, p 2, increasing 1 st in each p-rib on last row (92 sts). Change to No. 4 needles and work in ribbing of k 2, p 3, increasing 1 st at end of each row until there are 102 sts. Work straight until piece measures 4½ inches. Bind off 2 sts at beginning of next 2 rows. Dec. 1 st at end of each row until 90 sts remain. Work straight until piece measures 10 inches in all. Then bind off 4 sts at beginning of each row until 42 sts remain. Bind off. To make cartridge pleats, find center k-rib on right side of sleeve. Starting at bound-off sts, sew k-rib together for 2 inches, sewing along adjoining p sts. Make 6 more pleats on either side of center pleat (13 pleats in all). Sew up sleeve seams and sew in sleeves. Pin out to measurements and press through damp cloth. Sew in shoulder pads.

No. 1184 Casuals

Continued from Page 8

LEFT FRONT . . . Work as for Right Front, reversing shapings and omitting buttonholes. Sew up shoulder seams.

NECK BAND . . . With No. 1 needles, holding right side toward you, pick up 160 sts along entire neck edge. Work ¼ inch in ribbing; make a buttonhole in line with previous buttonholes; continue ribbing until band measures ½ inch. Bind off in ribbing.

SLEEVES . . . K the 8 sts from safety pin at Left Front armhole onto No. 4 needle; pick up 80 sts around armhole, and k the 8 sts from other safety pin (96 sts). Work 4½ inches straight. Dec. 1 st at both ends of next row and every 6th row thereafter until 60 sts remain. Work straight until underarm measures 17½ inches, increasing 10 sts on last row. Change to No. 1 needles and work 4 inches in ribbing. Bind off in ribbing.

Sew up underarm and sleeve seams. Pin out to measurements and press through damp cloth. Baste ribbon over center front edges of Right and Left Fronts up to neck edge (including neck band) and machine stitch in place all around edges of ribbon. Cut buttonholes in ribbon to correspond with knitted buttonholes and, with matching sewing thread, work buttonholes together with buttonhole stitch. Sew on buttons.

ART ROOM
Milwaukee Public Library

Soft but sophisticated, this slim ribbed cardigan adapts itself to many occasions.

It's new, it's young, it's versatile,—it's e

The brief zipped-u
multicolored yarn,

Mexicana No. 1190

This many-occasion briefer is not only spice to your wardrobe but a boon to your pocketbook. Made of Chadwick's Red Heart Afghan Wool.

Directions on Page 20

sy to make . . .

cardigan of sparkling bright
a smart new jiffy knit stitch.

Polonaise No. 1187 . . . Chadwick's Red Heart Baby Wool

SIZE 16

MATERIALS: CHADWICK'S RED HEART BABY WOOL, 6 *balls* (1 *oz. balls*) *of any color.*

MILWARD'S STEEL CROCHET HOOK *No.* 2.

5 *buttons.*

A pair of crinoline shoulder pads.

MEASUREMENTS AFTER BLOCKING: Bust — 36 inches. Width across back at underarm—17 inches. Width across back at shoulder—13½ inches. Width across each front at underarm—9¾ inches. Length from underarm to lower edge—8½ inches. Length of sleeve, underarm seam — 5 inches. Width of sleeve at underarm—14½ inches.

GAUGE: 1 shell and 1 ch-3 sp make ¾ inch; 3 rows of shells make 1 inch.

BACK . . . Starting at bottom, ch 109 to measure about 15 inches. **1st row:** D c in 4th ch from hook, ch 1, 2 d c in same place as last d c, * ch 3, skip 4 ch, in next ch make 2 d c, ch 1, 2 d c (a shell). Repeat from * across (22 shells and 21 sps). Ch 3, turn. **2nd row:** * Shell in ch-1 of next shell, ch 3. Repeat from * across, ending with shell in last shell. Ch 3, turn. Repeat 2nd row until piece measures about 3½ inches; turn. **Next row:** Make a shell at base of turning ch-3, ch-3 — *a shell and a sp increased*—shell in ch-1 of next shell and continue across, ending with shell in ch-1 of last shell, ch 3, shell in last d c of last shell — *another sp and shell increased.* Ch 3, turn. Work straight until piece measures 8 inches.

TO SHAPE ARMHOLES: **1st, 2nd and 3rd rows:** Sl st in each st of 1st shell and in next st of ch-3; sl st in ch-3 sp, ch 3; shell in next shell, ch 3 and continue in pattern to within last sp, d c in next sp, turn. **4th row:** Sl st to ch-1 of 1st shell, ch 3 and complete a shell in ch-1, ch 3 and continue across. Work straight until piece measures 7 inches from 1st row of armhole shaping. To shape shoulders, dec. 1 shell and 1 sp at both ends of each row 5 times—*to dec. a shell and a sp at beginning of row, sl st across 1st shell and 1st sp; at end of row, work to within last sp, turn.* Fasten off.

RIGHT FRONT . . . Ch 54 to measure about 7½ inches and work as for Back, increasing 1 shell and 1 sp at underarm edge every 3 inches twice. Work straight until piece measures 8 inches.

TO SHAPE ARMHOLE: **1st to 4th rows incl:** Same as 1st row of armhole shaping of Back, keeping center front edge straight. Work straight until piece measures about 5½ inches from 1st row of armhole shaping. Keeping armhole edge straight, shape neck edge as for armhole shaping. Work 2 rows straight, ending at armhole edge. To shape shoulder, dec. 2 shells and 2 sps at armhole edge twice. Fasten off.

LEFT FRONT . . . Work to correspond with Right Front.

SLEEVES . . . Starting at bottom, ch 70 to measure about 9½ inches and work as for Back, increasing 1 shell and 1 sp at both ends of row every inch 3 times. Work straight until piece measures 5 inches. To shape top of sleeve, dec. 1 shell and 1 sp at both ends of each row 3 times. Now work straight until piece measures 12 inches. **Next row:** Sl st to ch-1 of 1st shell, ch 3, d c in same ch-1—*half shell decreased*—ch 3, shell in next shell, and work to within last shell, 2 d c in last shell — *another half shell decreased.* Ch 5, turn. **Following row:** Shell in next complete shell, work in pattern across, ending with shell in last complete shell, ch 2, d c in 1st d c of last half shell. Ch 3, turn. **Last row:** Work in pattern, ending with shell in last shell, d c in 3rd st of turning ch. Fasten off.

BUTTONS *(Make 5)* . . . Ch 2, 10 s c in 2nd ch from hook. **2nd rnd:** 2 s c in each s c. **3rd rnd:** S c in each s c. **4th and 5th rnds:** S c in every other s c, inserting button before opening becomes too small. Fasten off, leaving a 10-inch yarn; use this yarn to sew up opening.

Sew up underarm and shoulder seams. Sew up sleeve seams and sew in sleeves; use fullness of sleeve to make 3 inverted pleats at top. With right side toward you, attach yarn at bottom of Left Front and work across entire lower edge of blouse as follows: **1st row:** 4 s c in each sp across (s c-row should measure about 28½ inches). Ch 1, turn. **2nd and 3rd rows:** S c in each s c across. Ch 1, turn. Do not break off, but work 3 rows of s c along right center front edge. Ch 1, turn. **Next row:** S c in 1st s c, ch 6, skip 4 s c, s c in next s c (a loop). Make 4 more loops evenly apart across row, having last loop 1 st from end of row. Ch 1, turn. **Last row:** S c across, with 8 s c in each loop. Fasten off. Work across left center front edge to correspond, omitting loops. Work 3 rows s c along neck edge, decreasing as necessary to keep work flat. Work 3 rnds s c around bottom of sleeves. Sew on buttons. Sew in shoulder pads.

USE
CHADWICK'S
RED HEART WOOLS

Sentimental as a waltz, this charming jacket is keyed to the new prettiness.

Snowball No. 2386

MATERIALS: CHADWICK'S RED HEART GERMANTOWN ZEPHYR, 18 *balls* (½ *oz. balls*) *of Green and* 7 *balls of White; or* CHADWICK'S RED HEART AFGHAN WOOL, 10 *skeins* (1 *oz. skeins*) *of Green and* 4 *skeins of White. These materials are sufficient for entire set.*

HOOD No. 2386-A

MATERIALS: CHADWICK'S RED HEART GERMANTOWN ZEPHYR, 4 *balls* (½ *oz. balls*) *of Green and* 3 *balls of White; or* CHADWICK'S RED HEART AFGHAN WOOL, 2 *skeins* (1 *oz. skeins*) *each of Green and White.*

MILWARD'S STEEL CROCHET HOOK *No.* 1.

BACK . . . Starting at bottom, ch 18 (11 ch sts to 2 inches). **1st row:** S c in 2nd ch from hook and in each ch. Ch 1, turn. **2nd row:** S c in each s c. Ch 1, turn. Repeat 2nd row, increasing 1 s c at both ends of every 6th row until there are 27 s c in row — *to inc., make 2 s c in 1 s c.* Work straight until piece measures 5¼ inches. Now dec. 1 s c at both ends of every other row until 17 s c remain—*to dec., work off 2 s c as 1 s c.* Fasten off.

FRONT . . . Ch 101. **1st row:** S c in 2nd ch from hook and in each ch. Ch 1, turn. **2nd row:** * S c in front loop of next s c, s c in back loop of next s c. Repeat from * across. Ch 1, turn. Repeat 2nd row for 1 inch. Inc. 1 st at both ends of next row and every 3rd row until there are 106 s c in row. Work straight until piece measures 3 inches. Fasten off. Attach yarn to 39th s c from beginning of row and work in pattern across next 28 s c. Ch 1, turn. **Next row:** Skip 2 s c, work over next 22 s c, work off 2 s c as 1 s c twice. Ch 1, turn. Work as for last row until all sts are worked off. Place foundation chain of front against the 3 top edges of back; join by working White s c through the 2 thicknesses. Holding right side toward you, work a row of Green s c along front edge. Fasten off. With right side facing, work White s c in each Green s c. Fasten off.

CORD . . . Same as cord on No. 2387 (next column).

POMPONS . . . Using cardboard 1 x 4 inches, place two 6-inch strands across length of cardboard. Wind White around width 100 times. Pick up both ends of 6-inch strands and tie. Slip out cardboard; fasten pompon to hood as in illustration; trim evenly.
Run cord in and out lower edge. Trim each end of cord with pompon (wind yarn 200 times around cardboard).

MITTENS No. 2386-B

MATERIALS: CHADWICK'S RED HEART GERMANTOWN ZEPHYR, 6 *balls* (½ *oz. balls*) *of Green and* 2 *balls of White; or* CHADWICK'S RED HEART AFGHAN WOOL, 4 *skeins* (1 *oz. skeins*) *of Green and* 1 *skein of White.*

Continued on Page 21

No. 2387 Sun Valley

PARKA No. 2387-A

MATERIALS: CHADWICK'S RED HEART SPORTS YARN, 6 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 1 (2½ *mm. size*) *and* 1 *pair No.* 3 (3 *mm. size*).

MILWARD'S STEEL CROCHET HOOK *No.* 5.

GAUGE: (After Blocking) 7 sts make 1 inch; 11 rows make 1 inch.

Starting at bottom of bertha, with No. 3 needles cast on 196 sts. **1st, 3rd and 5th rows:** K across. **2nd and 4th rows:** P across. **6th, 8th and 10th rows:** K across. **7th and 9th rows:** P across. These 10 rows constitute the pattern. Repeat pattern once more. Then work 1st to 5th rows incl. **26th row:** K across, knitting together every 27th and 28th st *(189 sts).* Work 9 more rows in pattern. **36th row:** K 2 tog., (k 25, k 2 tog.) 6 times, k 25 *(182 sts).* Work 9 more rows. **46th row:** K across, knitting together every 25th and 26th st *(175 sts).* Work 9 more rows. **56th row:** K 2 tog., (k 23, k 2 tog.) 6 times; k 23 *(168 sts).* Work 8 more rows. **Next row:** K together every 5th and 6th st *(140 sts).* Change to No. 1 needles and work tightly in ribbing of k 2, p 2, for ¾ inch (neck band). Bind off loosely in ribbing.

HOOD . . . Starting at front edge, with No. 1 needles cast on 146 sts and work in pattern as for bertha for 75 rows (rows are quickly counted by multiplying ridges by 5). **76th row:** K 70, k 2 tog., k 2, k 2 tog., k 70 *(144 sts).* Work 9 more rows. **86th row:** K 69, k 2 tog., k 2, k 2 tog., k 69 *(142 sts).* Work 9 more rows. **96th row:** K 68, k 2 tog., k 2, k 2 tog., k 68 *(140 sts).* Work 1 more row. **98th row:** K 67, k 2 tog., k 2, k 2 tog., k 67 *(138 sts).* Work 7 more rows. **106th row:** K 66, k 2 tog., k 2, k 2 tog., k 66 *(136 sts).* Bind off 2 sts at beginning of each row for remainder of piece and continue to dec. 2 sts at center in same manner as before on the following rows: 108th, 116th, 118th, 126th and 128th *(82 sts remain).* Work 7 more rows *(68 sts).* Bind off loosely. Press pieces lightly through a damp cloth. Fold hood at center, crosswise, having purled side of 1st and last ribs toward you. Sew the 2 back edges together, making a neat seam. Press seam open. Sew top edge of bertha (ribbing) along lower edge of hood, being sure purled side of 1st and last ribs of bertha is on right side.

CORD . . . Cut 8 strands of yarn, each 4 yds. long. Twist strands tightly; double twisted strands and give them a 2nd twist in the opposite direction. Tie a close knot at the free end and trim evenly.

Continued on Page 22

Crisp and sparkling as the first snowflake, these skiing accessories are smart and practical. Make them in sets or separate pieces.

ART ROOM
Milwaukee Public Library

Top:
SNOWBALL No. 2386

Right:
SUN VALLEY No. 2387

Glengarry No. 2389 . . . Chadwick's Red Heart Shetland Floss

SCARF No. 2389-A

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 4 *balls* (1 *oz. balls*).

MILWARD'S STEEL CROCHET HOOK *No.* 4.

GAUGE: (Pattern st) 7 sts make 1 inch; 7 rows make 1 inch. 7 sts and 3 rows of d c make 1 inch.

Ch 57 to measure about 9 inches. **1st row:** S c in 2nd ch from hook and in each ch across. Ch 1, turn. **2nd row:** S c in each st across. Ch 1, turn. **3rd row:** Same as 2nd row. **4th row:** S c in 3 s c, yarn over twice, insert hook under bar of 1st s c on 1st row and draw loop through. * (Yarn over, draw through 2 loops) twice; yarn over twice, skip next 5 s c on 1st row, insert hook between 5th and next s c of 1st row, bring it out between next 2 s c and draw loop through; (yarn over, draw through 2 loops) twice; yarn over and draw through 3 loops (a joined tr). Skip s c behind joined tr, s c in 5 s c, yarn over twice, insert hook under same s c as 2nd bar of last joined tr and draw loop through. Repeat from * across, ending row with a joined tr, skip s c behind joined tr, s c in 4 s c. Ch 1, turn. **5th, 6th and 7th rows:** Same as 2nd row. **8th row:** Yarn over twice, insert hook under both bars of next joined tr, draw loop through; (yarn over, draw through 2 loops) 3 times. Skip 1 s c of previous row, * s c in 5 s c, yarn over twice, insert hook under both bars of same joined tr, draw loop through; (yarn over, draw through 2 loops) twice, yarn over twice, insert hook under both bars of next joined tr, draw loop through; (yarn over, draw through 2 loops) twice, yarn over and draw through 3 loops, skip s c behind joined tr. Repeat from * across, ending with s c in 5 s c, yarn over twice, insert hook under both bars of last joined tr, draw loop through; (yarn over, draw through 2 loops) 3 times, skip 1 s c of previous row, s c in last s c. **9th, 10th and 11th rows:** Same as 2nd row. **12th row:** S c in 3 s c, yarn over twice, insert hook under 1st bar below, draw loop through, * (yarn over, draw through 2 loops) twice, yarn over twice, insert hook under both bars of next joined tr and draw loop through; (yarn over, draw through 2 loops) twice, yarn over, draw through 3 loops; skip s c behind joined tr, s c in 5 s c, yarn over twice, insert hook under both bars of same joined tr, draw loop through. Repeat from * across, ending row with a joined tr, skip s c behind joined tr, s c in 4 s c. Ch 1, turn. The last 8 rows (5th to 12th rows) constitute the pattern. Repeat pattern once more; ch 3 at end of 20th row, turn. **21st to 24th rows incl:** D c in each st across, ch 3, turn (ch 1 at end of 24th row). **24th to 40th row incl:** Repeat 1st to 12th rows incl.; then 5th to 8th rows incl. Ch 3 at end of 40th row. **41st row:** D c in each st across. Ch 3, turn. Repeat this row for 22 inches. Work border to correspond with other end. Fasten off.

HAT No. 2389-B

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 2 *balls* (1 *oz. balls*).

MILWARD'S STEEL CROCHET HOOK *No.* 4.

A feather hat ornament.

GAUGE: 7 sts make 1 inch; 7 rows make 1 inch.

SIDE . . . Ch 159 to measure about 23 inches. **1st to 4th rows incl:** Same as 1st to 4th rows of scarf (158 sts). Continue in pattern as for scarf, decreasing 1 st at both ends of every other plain s c-row until 134 sts remain— *to dec., work off 2 s c as 1 s c.* **Next row:** Sl st across 1st 4 sts, work in pattern to within last 4 sts. Ch 1, turn. Repeat this row 7 more times (70 sts remain). Fasten off.

TOP . . . Ch 15; work in pattern, increasing 1 st at both ends of every 3rd row until there are 26 sts— *to inc., work 2 s c in 1 s c.* Work straight in pattern until piece measures 4 inches. Dec. 1 st at both ends of every 3rd row until no sts remain. Fasten off. Holding right sides together, sew shaped edge of side around edge of top, having foundation chain of top at center front. Sew remaining shaped edges together for back seam. Sew feather at desired angle on left side.

No. 1192 Illusion

Continued from Page 6

k 3, 0, k 2 tog., k 2. Work straight until piece measures 7 inches from 1st row of armhole shaping. To shape shoulder, starting at armhole edge, bind off 7 sts every other row 4 times. Bind off remaining sts. Break off. Cast on 7 sts and, starting at base of center back opening, work across remaining 39 sts (46 sts in all) to correspond, omitting buttonholes.

FRONT . . . Work exactly as for Back until armhole shaping is completed (85 sts). Work straight until piece measures 6 inches from 1st row of armhole shaping. **Next row:** Work in pattern across 1st 35 sts, bind off 15 sts (thus starting neck shaping), and continue in pattern across remaining 35 sts. Hereafter work over the last 35 sts only, decreasing 1 st at neck edge every other row until 30 sts remain but, when piece measures 7 inches from 1st row of armhole shaping, shape shoulder by binding off 10 sts at armhole edge every other row 3 times. Break off. Work opposite side to correspond.

SLEEVES . . . Cast on 70 sts on No. 3 needles and work 1 inch in ribbing of k 1, p 1, increasing 9

Continued on Page 23

Smart headliners—a Scotch bonnet and short scarf. Own this gay pair at a very small cost.

Mexicana No. 1190

Illustrated on Pages 12 and 13

SIZE 16

MATERIALS: CHADWICK'S RED HEART AFGHAN WOOL, 9 *skeins* (¾ *oz. skeins*) *of Mexicana.*

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 0 (2 *mm. size*) *and* 1 *pair Casein No.* 8 (5 *mm. size*).

MILWARD'S STEEL CROCHET HOOK *No.* 4.

1 *Crown open end zipper,* 14-*inch, Style F.* 50.

MEASUREMENTS AFTER BLOCKING: Bust — 36 inches. Width across back at underarm—17 inches. Width across back at shoulder—14 inches. Width across each front at underarm—9¾ inches. Length from underarm to lower edge—8 inches. Length of sleeve, underarm seam—4 inches. Width of sleeve at underarm—13 inches.

GAUGE: 5 sts make 1 inch; 4 rows make ⅞ inch.

BACK . . . Starting at underarm edge, with No. 0 needles cast on 10 sts. **1st row:** K across, cast on 10 sts (20 sts). **2nd row:** P across. **3rd row:** With No. 8 needles * k 1, wind yarn around needle twice. Repeat from * across, ending with k 1. Cast on 15 sts. **4th row:** With No. 0 needles p 16, * drop the two 0's, p 1. Repeat from * across. **5th row:** K across. **6th row:** P across. **7th row:** With No. 8 needles * k 1, wind yarn around needle twice. Repeat from * across, ending with k 1. **8th row:** With No. 0 needles * p 1, drop the two 0's. Repeat from * across, ending with p 1; cast on 35 sts (70 sts)—*this is shoulder edge.* The 5th to 8th rows incl. constitute the pattern (the 7th and 8th rows form 1 "wide row"). Repeat pattern, increasing 1 st at shoulder edge only on next 2 rows and every 3rd and 4th rows thereafter until there are 80 sts on needle. Work straight until piece measures 4½ inches from the 35 cast-on sts. Now dec. 1 st at shoulder edge on each plain knit and purl row twice (76 sts). Work straight in pattern until piece measures 7 inches from the 35 cast-on sts. This completes one half of Back. Do not bind off but continue to work other half, making increases to correspond with decreases made before, and vice versa; bind off sts to correspond with sts cast on.

RIGHT FRONT . . . Starting at center front edge, with No. 0 needles cast on 70 sts and p 1 row, k 1 row, p 1 row. **4th and 5th rows:** Same as 7th and 8th rows of Back. Continue in pattern until piece measures 2¾ inches. At end of next purl row, cast on 8 sts—*this is shoulder edge.* Continue in pattern, shaping shoulder exactly as for Back until 72 sts remain. Work straight until piece measures 6¾ inches in all.

TO SHAPE ARMHOLE: On next row, with right side toward you, bind off 37 sts, continue in pattern across. Now work in pattern until piece measures 7½ inches in all. With wrong side toward you, bind off 15 sts (thus starting underarm shaping). Continue in pattern, binding off 10 sts at underarm every other row until all sts are bound off.

LEFT FRONT . . . Work to correspond with Right Front.

SLEEVES . . . Starting at seam edge, with No. 0 needles cast on 5 sts and k across, casting on 5 sts at end of row. Continue in pattern, casting on 5 sts at end of every other row until there are 20 sts on needle. At end of next p row, cast on 3 sts—*this is armhole edge.* Continue in pattern, casting on 10 sts at armhole edge after each wide row twice (43 sts). Now cast on 6 sts after each wide row at armhole edge twice (55 sts). Work straight until piece measures 7 inches from 1st 5 cast-on sts. This completes one half of sleeve. Work other half to correspond.

Sew up underarm and shoulder seams. Sew up sleeve seams and sew in sleeves, easing in fullness across top 6 inches. Work 1 row s c around neck edge, bottom of blouse and bottom of sleeves. Sew zipper along front edges.

No. 1196 *Skylark*

95 9089

Illustrated on Cover

SIZE 16

MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS, 7 *balls* (1 *oz. balls*).

MILWARD'S PHANTOM KNITTING PINS, 1 *pair No.* 1 (2½ *mm. size*) *and* 1 *pair No.* 3 (3 *mm. size*).

MEASUREMENTS AFTER BLOCKING: Bust — 35 inches. Width across back at underarm—17½ inches. Width across back at shoulder—13½ inches. Width across front at underarm — 17½ inches. Length from underarm to lower edge—12 inches. Length of sleeve, underarm seam — 4¼ inches. Width of sleeve at underarm—12½ inches.

GAUGE: 7 sts make 1 inch; 9 rows make 1 inch.

BACK . . . Starting at bottom, with No. 1 needles cast on 100 sts and work in ribbing of k 2, p 2 for 3 inches, increasing 20 sts on last row. Change to No. 3 needles and work in stockinette st (p 1 row, k 1 row) until piece measures 12 inches in all.

TO SHAPE ARMHOLES: Bind off 10 sts at beginning of next 2 rows. Then dec. 1 st at end of each row until 92 sts remain. Work straight until piece measures 5¾ inches from 1st row of armhole shaping. On next row, with right side of work toward you, k 15; (k 2, p 2) 15 times; k 17. **Following row:** P 15; (p 2, k 2) 15 times; p 17. Repeat last 2 rows alternately until piece measures 7 inches from 1st row of armhole shaping. Bind off.

FRONT . . . Work exactly as for Back until piece measures 10 inches in all, ending with a p row. Then work in pattern as follows: **1st row:** K 54, p 2, then make a cable—*to make a cable, slip next 4 sts onto a stitch holder; keeping stitch holder at back of work k next 4 sts; then k 4 sts on stitch holder;* p 2, k 54. **2nd row:** P 54, k 2, p 8, k 2, p 54. **3rd**

Continued on Page 21

ART ROOM Milwaukee Public Library

row: K 54, p 2, k 8, p 2, k 54. **4th and 5th rows:** Repeat 2nd and 1st rows. **6th to 16th rows incl:** Repeat 2nd and 3rd rows alternately. These 16 rows constitute the pattern. Work in pattern, adding another row of cables on 1st row of each pattern as follows, until there are 7 cables in the row: **17th row:** K across to within 13 sts from p-2 of previous cable, then p 2; (make a cable, p 2, k 1, p 2) twice; make a cable, p 2, k to end of row. Work in this manner until piece measures 12 inches; then shape armholes as for armholes of Back and work until piece measures 5¾ inches from 1st row of armhole shaping. Then work as follows:

1st row: Work in pattern across 1st 15 sts; (k 2, p 2) 15 times; k 2, continue over remaining 15 sts in pattern. Hereafter work the 62 sts in center of needle in ribbing, keeping 15 sts at both ends in pattern until piece measures 7 inches from 1st row of armhole shaping. Bind off.

746.1-S763nw

SLEEVES . . . Starting at bottom, with No. 1 needles cast on 68 sts and work in ribbing of k 2, p 2, for 1¼ inches. Change to No. 3 needles and work in pattern as follows: **1st row:** K 15, p 2; (k 8, p 2, k 1, p 2) twice; k 8, p 2, k 15. **2nd row:** P 15, k 2; (p 8, k 2, p 1, k 2) twice; p 8, k 2, p 15. **3rd to 12th rows incl:** Repeat 1st and 2nd rows alternately, increasing 1 st at both ends of every other row. **Next row:** Work in pattern across, making a cable over each k-8. Continue to inc. until there are 88 sts in the row, working cable pattern as for blouse until 2 small cables are completed. **Next row:** Work in stockinette st to k-1 incl. of center cable; continue in pattern over cable to within k-1 at opposite side of center cable; k to end of row. Continue center cable until another small cable is made, keeping both sides in stockinette st but, when piece measures 4½ inches, shape top of sleeve as follows: Dec. 1 st at both ends of next row and every 3rd row thereafter until 70 sts remain. When 3rd small cable is completed, change all sts to stockinette st and continue with decreases. Now dec. 1 st at end of each row until 34 sts remain. Bind off.

Sew up shoulder seams from armhole edge to ribbing. Sew up underarm seams. Sew up sleeve seams and sew in sleeves, easing in fullness across top 3 inches.

Snowball No. 2386

Continued from Page 16

MILWARD'S STEEL CROCHET HOOK *No.* 1.

4 *double-pointed steel needles No.* 11.

LEFT HAND. *Back* . . . Starting at wrist, with Green ch 21 to measure 3½ inches. **1st row:** S c in 2nd ch from hook and in each ch. Ch 1, turn. **2nd row:** S c in each s c. Ch 1, turn. Repeat 2nd row for 6 inches. **Next row:** Dec. 1 st—*by working off 1st and 2nd s c together;* s c in each s c, dec. last s c. Ch. 1, turn. Repeat the last row until 8 sts remain. Break off.

PALM . . . (Made vertically) Starting at outer edge, with Green ch 41 to measure about 7½ inches. **1st row:** S c in 2nd ch from hook and in each ch (this is wrist). Ch 1, turn. **2nd row:** * S c in front loop of next s c, s c in back loop of next s c. Repeat from * across, making 2 s c in last s c (this is fingertip). **3rd row:** 2 s c in 1st s c, s c in next s c, * s c in front loop of next s c, s c in back loop of next s c. Repeat from * across. Ch 1, turn. **4th, 5th and 6th rows:** Repeat 2nd, 3rd and 2nd rows, but inc. at fingertip on 4th row only (43 s c). Ch 1, turn. **7th row:** Work across 1st 33 s c, sl st in next s c. Ch 1, turn. **8th row:** Work in pattern across. Ch 1, turn. **9th row:** Work across 1st 24 s c, ch 17 to start thumb, turn. **10th row:** S c in 3rd ch from hook, s c in 14 ch, work in pattern across (39 s c). Ch 1, turn. **11th row:** Work in pattern, increasing in last st. Ch 1, turn. **12th row:** Work across 1st 38 s c. Ch 1, turn. **13th row:** Work across, decreasing the last st. Break off. Now work as follows: **1st row:** Attach Green to 10th s c from wrist and work in pattern to wrist edge. Ch 1, turn. **2nd row:** Work across 1st 19 s c, ch 18 to start other side of thumb, turn. **3rd row:** S c in 3rd ch from hook and in each ch; continue in pattern across. Ch 1, turn. **4th row:** Work in pattern, increasing in last s c. Ch 1, turn. **5th, 6th and 7th rows:** Work in pattern, decreasing last s c on 7th row. Fasten off.

JOINING . . . Lay one piece over other so that back and palm correspond. Join pieces with a row of White s c through both thicknesses, around sides of hand and around fingers. Join thumb in same way.

CUFF . . . With double-pointed needles and Green, pick up 46 sts around wrist and work 1 inch in rnds of k 1, p 1 ribbing. Break off. Work 1 inch in White; then 1 inch in Green. Bind off.

RIGHT HAND . . . Work to correspond with left hand.

POMPONS . . . Make 2 pompons as for hood, and attach one to back of each mitten.

SCARF No. 2386-C

MATERIALS: CHADWICK'S RED HEART GERMANTOWN ZEPHYR, 9 *balls* (½ *oz. balls*) *of Green and* 2 *balls of White; or* CHADWICK'S RED HEART AFGHAN WOOL, 5 *skeins* (1 *oz. skeins*) *of Green and* 1 *skein of White.*

MILWARD'S STEEL CROCHET HOOK *No.* 1.

Starting at short end, ch 44 (11 sts to 2 inches). **1st row:** S c in 2nd ch from hook and in each ch. Ch 1, turn. **2nd row:** S c in each s c. Ch 1, turn. Repeat 2nd row for 22 inches. Fasten off. Work 2 rows White. Fasten off. Attach Green and work as follows:

1st row: * S c in front loop of next s c, s c in back loop of next s c. Repeat from * across. Ch 1, turn. Repeat this row for 6½ inches. Fasten off. Attach White at opposite end and work other border.

POMPONS . . . Make 3 pompons as for hood. Attach a pompon to each corner of one end of scarf, and one at center of other end.

Sun Valley No. 2387

Continued from Page 16

Run the opposite end through neckband, under 2 k-ribs and over 4 (right side).

TASSELS *(Make 2)* **. . .** Cut a cardboard 4 inches square. Place two 6-inch strands of yarn across cardboard. Wind yarn around cardboard 100 times (across 6-inch strands). Pick up both ends of 6-inch strands and tie securely. Slip tassel off cardboard, wind yarn several times around near top and tie securely. Join a tassel to each end of cord. Try on parka and fold back a cuff.

SOCKS No. 2387-B

MATERIALS: CHADWICK'S RED HEART SPORTS YARN, 2 *balls* (1 *oz. balls*).

4 *double-pointed bone needles No.* 3 (3 *mm. size*).

GAUGE: (Stockinette st) 7 sts make 1 inch; 9 rnds make 1 inch.

CUFF . . . Starting at top, cast on 54 sts on 3 needles (18 sts on each needle). Join, being careful not to twist sts. **1st to 5th rnds incl:** K around. **6th to 10th rnds incl:** P around. These 10 rnds constitute the pattern. Repeat pattern twice more. Then work in stockinette st (k each rnd) for 5½ inches.

HEEL . . . Slip 12 sts of 2nd needle onto 3rd needle (this is heel needle). Then divide the remaining sts equally on other 2 needles. Work back and forth over heel needle as follows: **1st row:** Sl 1 st as if to p, p 1, * k 2, p 2. Repeat from * across. **2nd row:** Sl 1 st as if to k, k 1, * p 2, k 2. Repeat from * across. Repeat these last 2 rows alternately until heel piece measures 2½ inches. **Next row:** With right side toward you, work in pattern across 1st 18 sts, p 2 tog., turn. **Following row:** K 1, p 2, k 2, p 2, k 2 tog., turn. **Next row:** P 1, k 2, p 2, k 2, p 2 tog., turn. Repeat these last 2 rows alternately until 8 sts remain on heel needle. **Next rnd:** K across heel needle, then pick up 12 sts along left side of heel (1st needle). K sts of next 2 needles onto 2nd needle; with 3rd needle pick up 12 sts along other side of heel, k 4 sts from 1st needle. There are now 16 sts on 1st and 3rd needles, and 24 sts on 2nd or instep needle. Work in rnds (k each rnd), decreasing on every other rnd as follows: 1 st at end of 1st needle, 1 st at both ends of 2nd needle, and 1 st at beginning of 3rd needle, until 48 sts remain. Work straight until piece measures 2 inches shorter than foot.

TOE . . . There should be 14 sts on 1st needle, 20 sts on 2nd needle and 14 sts on 3rd needle. Slip 2 sts from 1st and 3rd needles onto 2nd needle. End of rnd is center of sole. * K to within 3 sts from end of 1st needle, k 2 tog., k 1. *On 2nd needle:* K 1, sl 1, k 1, p.s.s.o., k to within last 3 sts, then k 2 tog., k 1. *On 3rd needle:* K 1, sl 1, k 1, p.s.s.o., k to end of rnd. Work 1 rnd straight. Repeat from * until 16 sts remain. Transfer the sts onto 2 needles, having 8 sts on each needle, divided so that sole lies flat. Bind off, knitting together 1 st from each needle.

MITTENS No. 2387-C

MATERIALS: CHADWICK'S RED HEART SPORTS YARN, 3 *balls* (1 *oz. balls*).

4 *double-pointed bone needles No.* 2 (2¾ *mm. size*).

GAUGE: (Stockinette st) 8 sts make 1 inch; 10 rnds make 1 inch.

PATTERN FOR CUFF . . . 1st to 5th rnds incl: P around. **6th to 10th rnds incl:** K around.

LEFT MITTEN . . . Cast on 117 sts on 3 needles (39 sts on each needle). Join, being careful not to twist sts, and work in cuff pattern, decreasing 10 sts evenly apart on the 6th, 16th, 26th, 36th, 46th, 56th and 66th rnds—*be sure decreases do not fall over those previously made* (47 sts remain). Work straight in stockinette st (k each rnd) for ¾ inch. Place marker in line with joining of work and continue as follows: **1st rnd:** Starting at marker, k 22, 0 (beginning of thumb), k 25. **2nd and all even rnds:** K around. **3rd rnd:** K 22, 0, k 1, 0, k 25. **5th rnd:** K 22, 0, k 3, 0, k 25. **7th rnd:** K 22, 0, k 5, 0, k 25. Continue thus until there are 70 sts in rnd, ending with an even rnd. **Next rnd:** Starting at marker, k 22, place next 23 sts on safety pin, for thumb; cast on 6 sts and continue around (53 sts). Work over these 53 sts in rnds for 3 inches. Starting at marker, work as follows:

1st rnd: K 1, sl 1, k 1, p.s.s.o., k 20, k 2 tog., k 2, sl 1, k 1, p.s.s.o., k 21, k 2 tog., k 1. **2nd, 4th, 6th and 8th rnds:** K around. **3rd rnd:** K 1, sl 1, k 1, p.s.s.o., k 18, k 2 tog., k 2, sl 1, k 1, p.s.s.o., k 19, k 2 tog., k 1. **5th rnd:** K 1, sl 1, k 1, p.s.s.o., k 16, k 2 tog., k 2, sl 1, k 1, p.s.s.o., k 17, k 2 tog., k 1. **7th rnd:** K 1, sl 1, k 1, p.s.s.o., k 14, k 2 tog., k 2, sl 1, k 1, p.s.s.o., k 15, k 2 tog., k 1. **9th rnd:** K 1, sl 1, k 1, p.s.s.o., k 12, k 2 tog., k 2, sl 1, k 1, p.s.s.o., k 13, k 2 tog., k 1 *(33 sts)*. **10th rnd:** K 1, sl 1, k 1, p.s.s.o., k 10, k 2 tog., k 2, sl 1, k 1, p.s.s.o., k 11, k 2 tog., k 1. Now dec. 4 sts each rnd until 9 sts remain. Break off, leaving an 8-inch length of yarn. Run yarn through remaining sts and fasten on wrong side.

THUMB . . . Pick up 6 sts from palm, transfer the 23 sts of thumb onto 2 more needles. Dec. at palm side on next 3 rnds to 23 sts. Work to within ½ inch of end of thumb; k together every 5th and 6th st on next rnd. Work 1 rnd even. * K 1, k 2 tog. Repeat from * until 9 sts remain. Break off and finish as before.

RIGHT MITTEN . . . Work to correspond, reversing shaping.

Boulevarde No. 1194

Continued from page 6

starting neck shaping. Now dec. 1 st at neck edge every other row 9 times in all; at the same time inc. 1 st at armhole edge every 4th row 5 times in all (31 sts). Work straight until piece measures 4¾ inches from cast-on sts. Bind off. Make 3 pleats evenly apart across the bound-off edge at armhole, and sew cast-on edge in place over bound-off sts.

LEFT FRONT . . . Work as for Right Front, reversing shapings.

SLEEVES . . . Starting at bottom, cast on 80 sts and work in stockinette st, increasing 1 st at both ends of row after the 1st 1½ inches and every inch thereafter until there are 94 sts on needle. Work straight until piece measures 8½ inches in all. To shape top of sleeve, bind off 9 sts at beginning of next 2 rows. Dec. 1 st at end of each row until 56 sts remain. Now dec. 1 st at both ends of every 3rd row until 42 sts remain. Now bind off 3 sts at beginning of each row until 18 sts remain. Bind off.

BELT . . . Starting at short end, with No. 2 needles cast on 14 sts and work 5½ inches in ribbing of k 1, p 1. Bind off. Sew seam tape to belt to prevent stretching.

Block all pieces through a damp cloth. Sew up underarm and shoulder seams. Sew up sleeve seams and sew in sleeves. Turn under ¼ inch on all edges of bolero, and sew seam tape on wrong side, holding in neck edge to measure 15 inches. Sew a button to belt ½ inch in from each end. Fasten neck with hook and eye. Sew shoulder pads in place.

Illusion No. 1192

Continued from Page 18

sts on last row. Change to No. 5 needles and work in pattern as for Back, increasing 1 st at both ends of every 3rd row until there are 97 sts. Work straight until piece measures 4½ inches in all. To shape top of sleeve, bind off 3 sts at beginning of next 2 rows. Dec. 1 st at end of each row until 39 sts remain. Bind off 4 sts at beginning of each row until 15 sts remain. Bind off.

COLLAR. Right Half . . . Starting at outer edge, with No. 3 needles cast on 48 sts and work 1⅜ inches in ribbing of k 1, p 1. Then bind off 16 sts every other row until all sts are bound off (this to be neck edge). **Left Half . . .** Work to correspond with Right Half.

Sew up underarm and shoulder seams. Sew up sleeve seams and sew in sleeves, using extra fullness of sleeve to make 3 pleats at top. Sew collar to neck edge. Sew on buttons. Sew in shoulder pads.

No. 1191 Duckling

Continued from Page 4

SLEEVES . . . Starting at bottom, with No. 1 needles cast on 64 sts and work in ribbing for 1 inch. Change to No. 3 needles and work in pattern, increasing 1 st at end of each row until there are 94 sts on needle. Bind off 6 sts at beginning of next 2 rows. Then dec. 1 st at end of each row until 22 sts remain. Bind off.

Sew up underarm seams. Sew a zipper along each shoulder. Sew up sleeve seams and sew in sleeves, making 2 tucks at top.

General Information

GAUGE . . . Instructions for garments give a gauge or the number of stitches per inch. Therefore, always make a small sample about 2" x 3" using the thread and hook or needle specified and see that your gauge corresponds to that specified. If not, then determine if you work more loosely or tightly and use a finer or larger needle or hook.

SIZE ALTERATION . . . If your measurements vary from the standard sizes to a great extent, add the additional number of stitches and rows so that the completed garment is your specific size in inches. Try garment against yourself occasionally to be sure that you are keeping in with measurements.

TO LAUNDER WOOL GARMENTS . . . Before laundering, measure your garment carefully and record all necessary measurements. It is advisable to remove all detachable trimmings. Use a good neutral soap or soap flakes and make suds in warm water. Wash by squeezing the suds through the article. Do not rub. Then rinse two or three times in clear, lukewarm water and squeeze out.

Lay the garment out carefully on a Turkish towel and pull into shape according to the measurements taken previously. Pin with rust-proof pins to hold the outline desired. Do not stretch out any ribbing. Allow to remain until thoroughly dry. Never hang up, and do not place directly in the sun. If any pin marks or unevenness remain after drying, these can be pressed out with the iron.

IMPORTANT . . . Be sure to buy at one time sufficient material of the same dye lot to complete the garment you wish to make as it is impossible to avoid slight variations in color in different dye lots.

ABBREVIATIONS

Knit . . . . . k	Stitch . . . . . st
Purl . . . . . p	Round . . . . . rnd
Increase . . . . . inc.	Pass sl st over k st . . . p.s.s.o.
Decrease . . . . . dec.	Inclusive . . . . . incl.
Thread or Yarn Over . 0	Single Crochet . . . . . s c
Together . . . . . tog.	

*(asterisk) When this symbol appears, continue working until instructions refer you back to this symbol.

K No. 139

PRICE 10 CENTS

Sweater News

Skylark No. 1196

Directions on Page 20

CHADWICK'S RED HEART WOOLS